


Epoxy *and* Urethane Coating Systems



TK Products

ISO 9001:2000 Certified

A Past Devoted to
Experience and
Expertise.

A Future
Dedicated
to
Evolution
and
Growth.

Experience and Expertise....

For over 40 years, TK Products has been both a leader and innovator in the concrete coatings industry. Our commitment to quality has produced a line of products that are widely recognized by State Departments of Transportation, ASTM specifications, and throughout the concrete industry. All of our user friendly and highly demanded products are produced in our own ISO 9001:2000 Certified facilities. Ranging from chlorinated rubbers and acrylics to epoxies and urethanes, our curing and sealing coatings have always been cutting edge in design and technology.

The TK Products Advantage....

TK Products offers you the benefits of a custom color manufacturer as well as the luxury of custom product engineering. We have the tools and the talent to make or match almost any color imaginable. Our exclusive capability presents the opportunity for a unique way of doing business; we work directly with you to produce products that are specific to your customers' needs and desires.



Evolution and Growth....

TK Products believes that true innovation relies on constant growth and evolution. For this reason, we now offer you a line of decorative coatings to keep you at the top of your field, and to make your business invaluable in the eyes of your customers.

TK
Products

TK Products, Division of Sierra Corporation
11400 West 47th Street
Minnetonka, MN 55343
Phone: (952)938-7223 Toll Free: (800)441-2129
Fax: (952)938-8084

<http://www.tkproduct.com>

Epoxy and Urethane Systems

TK Epoxy and Urethane Flooring Systems give you the choice of single system application, as well as the option of combining systems for ultimate floor protection and finish.

Product	Description	Features/Benefits	Applications
TK-Epoxy Color System	Two-component, solvent-borne colored epoxy coating with a smooth, high gloss finish	High strength, resistant to abrasion, chemical attack and rubber burns. Serves as an adhesive around cracks, crevices and weak spots	Industrial warehousing, paper mills, automotive garages, wastewater treatment facilities and farm buildings
TK Hi-Tech Maximum Solids Epoxy	Two-component, solvent free, high build, high gloss, clear or pigmented epoxy system	High degree of abrasion resistance, virtually odor free, aesthetically pleasing finish	Industrial flooring, ice and roller skating rinks, prison floors and parking garages
TK-1606 Tri-Thane Aliphatic Urethane	Solvent-borne, clear, glossy, non-yellowing topcoat. Also can be used with separate color packs.	Forms extremely durable film with resistance to chemicals and abrasion, requires minimal maintenance	Almost any concrete surface, from garage floors to airplane hangars. Can be used to recoat previously coated surfaces.
TK-Epoxy Floor Chip Kit	Complete epoxy floor system, includes tinted base coat, colored chips and clear top coat	Finished appearance can be molded to customer's tastes, low odor, requires minimal maintenance	Garage floors, basement floors and industrial areas
TK- Quartz Floor	Decorative epoxy floor system that incorporates colored quartz and TK Hi-Tech Maximum Solids Epoxy	Extremely durable, wear and slip resistant, aesthetically pleasing appearance	Automotive garage and industrial floors, commercial kitchens, locker rooms and restrooms.

TK-Epoxy Color System

The TK-EPOXY COLOR SYSTEM is a two-component, solvent-borne colored epoxy coating for use on residential and industrial concrete. It forms a penetrating, high strength coating that is resistant to abrasion from heavy traffic, chemical attack and rubber burns.

TK-1606 Tri-Thane Aliphatic Urethane

TK-1606 TRI-THANE is a clear, glossy and non-yellowing, solvent-borne aliphatic moisture cure urethane that is specially designed for floor finishing.

TK-Quartz Floor

TK-QUARTZ FLOOR is a decorative epoxy floor system that incorporates TK HI-TECH MAXIMUM SOLIDS EPOXY with colored quartz to form a durable, wear resistant and protective system.

TK Hi-Tech Maximum Solids Epoxy

The TK HI-TECH MAXIMUM SOLIDS EPOXY is a two-component, high build, solvent free polyamine epoxy system. Available in either clear or pigmented formulations, it is used where maximum durability and chemical resistance are essential.

TK-Epoxy Floor Chip Kit

The TK-EPOXY FLOOR CHIP KIT is a complete epoxy floor system that includes:

- A tinted base coat (choice of 3 standard TK colors)
- Standard color chips
- A clear top coat



TK Epoxy Color System

Features:

- Serves as an adhesive around minor cracks, crevices and weak spots in concrete.
- Is chip and peel resistant.
- Creates a high gloss finish that is smooth, durable and easy to clean.
- Does not support fungal or bacterial growth.
- Meets the Federal EPA's VOC requirements.



Applications:

- Industrial warehousing, paper mills, automotive garages, canneries, packing plants, wastewater treatment facilities, farm buildings and concrete block walls.



Features:

- Reacts with atmospheric moisture to form an extremely durable film with superior resistance to chemicals and abrasion.
- Is an excellent topcoat for the TK-EPOXY COLOR SYSTEM or TK-HI TECH MAXIMUM SOLIDS EPOXY, or it can be used in conjunction with TK-1166 PIGMENTED CONCENTRATE color packs.
- Achieves full cure within 1 to 3 days.
- Requires minimal maintenance.



Applications:

- Most any properly prepared concrete surface, from garage floors to airplane hangars.
- Can be used as a recoat over previously coated floors.

TK-1606

Tri-Thane

Aliphatic

Urethane

TK Hi-Tech Maximum Solids Epoxy

Features:

- Creates a high gloss, non-porous and aesthetically pleasing finish.
- Virtually odor free
- Provides a high degree of abrasion resistance
- Requires minimal maintenance.
- Meets the Federal EPA's VOC requirements.

Applications:

- Industrial flooring, ice and roller skating rinks, prison floors and parking garages.

*See individual Product Data Sheets and Material Safety Data Sheets for specific uses, applications and instructions.

TK Epoxy Floor Chip Kit

Features:

- The final appearance of the product can be molded to the customers' personal taste (by adding to/limiting number of colored chips).
- Low odor formulation.
- Requires minimal maintenance.
- Meets the Federal EPA's VOC requirements.

Applications:

- Garage floors, basement floors, and industrial areas.



LIGHT GRAY
WITH BLACK AND
WHITE CHIPS.

TAN
WITH BROWN, LIGHT
BROWN AND OFF-
WHITE CHIPS.

DARK GRAY
WITH BLACK, WHITE AND
GRAY CHIPS.

TK-Quartz Floor

Features:

- Durable, wear and slip resistant.
- Chemical resistant.
- Available in a variety of colors.
- Aesthetically pleasing finish.
- Meets Federal EPA's VOC requirements.

Applications:

- Garage floors, basement floors, commercial kitchens, lockerrooms, restrooms.

TK Quartz flooring is available in both solid and blended colors. Please see your TK representative or TK distributor for a color chart of available quartz colors. TK-Quartz flooring requires a minimum of two weeks lead time for order to be fulfilled.



***See individual Product Data Sheets and Material Safety Data Sheets for specific uses, applications and instructions.**



PRODUCTS

2007